In the Claims:

Please amend the claims as follows:

CLAIMS

1 (Currently Amended) A well cementing composition comprising a trimodal blend of particulate materials present as fine, medium and coarse particle size fractions, the particulate materials including cement, flexible particles, and a filler, characterized in that the cement comprises comprising only the fine particle size fraction, and the flexible particles and filler comprise comprising the medium and coarse particle size fractions allowing a control of the mechanical properties of the set cement independently of density of the cementing composition slurry.

2 (Original) The composition as claimed in claim 1, wherein the fine particle size fraction has an average particle size of 10 microns or less; the medium particle size fraction has an average particle size of 20 to 100 microns; and the large particle size fraction has an average particle size of 100 to 400 microns.

3 (Currently Amended) The composition as claimed in claim 1 or 2, wherein the cement comprises micro-cement or a mixture of micro-cement and slag.

4 (Currently Amended) The composition as claimed in any preceding claim in claim 1, wherein the blend has a packing volume fraction of at least 0.78.

5 (Currently Amended) The composition as claimed in any preceding claim in claim 1, wherein the medium and large particle size fractions comprise high-density fillers and flexible particles.

6 (Original) The composition as claimed in claim 5, wherein the high-density fillers comprise hematite or ilmenite.

7 (Currently Amended) The composition as claimed in claim 5 or 6 when mixed with water to form a slurry having a density above 1.92g/cm^{3/2}(16 ppg).

8 (Currently Amended) The composition as claimed in of claims 1—4 in claim 1, wherein the medium and large particle size fractions comprise low-density fillers and flexible particles.

9 (Original) The composition as claimed in claim 8, wherein the low-density fillers comprise hollow glass beads, hollow aluminosilicate particles, microspheres, cenospheres, or hollow ceramic beads.

10 (Currently Amended) The composition as claimed in claim 8 or 9 when mixed with water to form a slurry having a density below $1.44g/\text{cm}\frac{3}{2}(12 \text{ ppg})$.

11 (Currently Amended) The composition as claimed in any of claims 5—10 in claim 5, wherein the flexible particles comprise ground rubbers, polyethylene, polypropylene or styrene-divinylbenzene.

12 (Currently Amended) The composition as claimed in any preceding claim 1, comprising:

- 10 30% BVOB fine particles;
- 20 40% BVOB medium particles; and
- 40 55% BVOB coarse particles.

13 (Original) The composition as claimed in claim 12, wherein the fine particles contain 10-25% BVOB cement.

14 (Currently Amended) The composition as claimed in claim 12 or 13, wherein the fine particles contain 10 - 15% manganese tetroxide.

15 (Currently Amended) The composition as claimed in claim 12 or 13, wherein the fine particles contain up to 10 % BVOB silica.

- 16 (Currently Amended) The composition as claimed in any of claims 12—15 claim 12, wherein the medium particles comprise hematite.
- 17 (Currently Amended) The composition as claimed in any of claims 12—16 claim 12, wherein the medium particles contain rubber, synthetic rubber, polypropylene or silica.
- 18 (Currently Amended) The composition as claimed in any of claims 12—17 claim 12, wherein the coarse particles contain up to 35% BVOB hematite.
- 19 (Currently Amended) The composition as claimed in any of claims 12 17 claim 12, wherein the coarse particles contain 15 40% BVOB rubber.
- 20 (Currently Amended) The composition as claimed in any of claims 12—17-claim 12, wherein the coarse particles contain 35 52% BVOB silica.
- 21 (Currently Amended) The composition as claimed in any of claims 12—17-claim 12, wherein the coarse particles contain about 55% BVOB rubber, synthetic rubber, or polypropylene.
- 22 (Currently Amended) The composition as claimed in any preceding claim 1, wherein the cement content of the blend is less than 30% BVOB.
- 23 (Original) The composition as claimed in claim 22, wherein the cement content is less than 25% BVOB.
- 24 (Original) The composition as claimed in claim 23, wherein the cement content is less than 20% BVOB.
- 25 (Original) The composition as claimed in claim 24, wherein the cement content is less than 15% BVOB.

26 (Currently Amended) The composition as claimed in any preceding claim 1, wherein the mechanical properties comprise the Young's Modulus.